

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL COAST REGION  
895 Aerovista Place, Suite 101  
San Luis Obispo, California 93401**

Public Notice No. R3-2010-0039  
NPDES No. CA0047791

**NOTICE OF PUBLIC HEARING**

REISSUANCE OF WASTE DISCHARGE REQUIREMENTS (Order No. R3-2010-0039)  
(National Pollutant Discharge Elimination System Permit)

FOR

OLIVE SPRINGS QUARRY  
CHY COMPANY AND OLIVE SPRINGS QUARRY, INC.,  
SANTA CRUZ COUNTY

The California Regional Water Quality Control Board, Central Coast Region, (Central Coast Water Board) proposes to authorize discharge of treated wastewater from the Olive Springs Quarry by reissuance of waste discharge requirements. The Olive Springs Quarry, Inc., provides treatment of quarry washwater, stormwater runoff, and dust control water runoff. Treated wastewater would discharge to Soquel Creek but no discharge has occurred in more than five years.

The Central Coast Water Board will hold a public hearing to consider the issuance of the proposed waste discharge requirements **on Thursday, December 9, 2010** in the:

Watsonville City Council Chambers  
245 Main Street, 4<sup>th</sup> Floor  
Watsonville, CA 95076

Interested persons are invited to submit comments in writing to the Central Coast Water Board at its office in San Luis Obispo no later than **October 14, 2010**. All comments received before that date will be considered in the formulation of staff recommendations regarding the waste discharge. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after **October 14, 2010**, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by **October 14, 2010**. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

The Report of Waste Discharge, Fact Sheet, related documents, and all comments received may be inspected and copied at the office of the Central Coast Water Board, 895 Aerovista Place, Suite 101, San Luis Obispo, California 93401-5427, on weekdays between the hours of 8:00 a.m. and 5:00 p.m. Please direct comments and questions to **Michael Higgins at (805) 542-4649** or Harvey Packard at (805) 542-4739 at this office.

Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.

S:\NPDES\NPDES Facilities\Santa Cruz Co\Olive Springs\2010 permit\public hearing notice.doc